


This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:


- 1) (Previously presented) A compound of formula (I):



wherein

A is a bicyclic heterocycle which is:

- (1) benzimidazolyl
- (2) 1,3-benzothiazolyl
- (3) 1,2,3-benzotriazolyl
- (4) 1,3-benzoxazolyl
- (5) 2,3-dihydro-1H-indolyl
- (6) 2,3-dihydro-1H-indenyl
- (7) 1,1-dioxido-2,3-dihydro-1-benzothieryl
- (8) 1H-indazolyl
- (9) 2H-indazolyl
- (10) 1H-indolyl
- (11) 2H-chromenyl
- (12) quinoxalinyI or
- (13) a group of the formula



optionally substituted with 1-4 substituents which are independently  $R^1$ ,  $OR^1$ ,  $S(O)_pR^1$ ,  $C(O)R^1$ ,  $C(O)OR^1$ ,  $C(O)NR^1R^2$ , halogen, oxo, cyano, or nitro;

B is phenyl, naphthyl or, pyridyl, optionally substituted with 1-4 substituents which are independently  $C_1$ - $C_5$  linear or branched alkyl,  $C_1$ - $C_5$  linear or branched haloalkyl,  $C_1$ - $C_3$  alkoxy, hydroxy, amino,  $C_1$ - $C_3$  alkylamino,  $C_1$ - $C_6$  dialkylamino, carboxamide, halogen, cyano, nitro or  $S(O)_pR^7$ ;

L is :

- (a)  $-(CH_2)_m-O-(CH_2)_l-$ ,
- (b)  $-(CH_2)_m-(CH_2)_l-$ ,
- (c)  $-(CH_2)_m-C(O)-(CH_2)_l-$ ,
- (d)  $-(CH_2)_m-NR^3-(CH_2)_l-$ ,
- (e)  $-(CH_2)_m-NR^3C(O)-(CH_2)_l-$ ,
- (f)  $-(CH_2)_m-S-(CH_2)_l-$ ,
- (g)  $-(CH_2)_m-C(O)NR^3-(CH_2)_l-$ , or
- (h) a single bond;

m and l are integers independently selected from 0-4;

M is a pyridine ring, optionally substituted with 1-3 substituents which are independently  $C_1$ - $C_5$  linear or branched alkyl,  $C_1$ - $C_5$  linear or branched haloalkyl,  $C_1$ - $C_3$  alkoxy, hydroxy, amino,  $C_1$ - $C_3$  alkylamino,  $C_1$ - $C_6$  dialkylamino, halogen, or nitro.;

Q is  $C(O)R^4$ ,  $C(O)OR^4$  or  $C(O)NR^4R^5$ ;

each of  $R^1$ ,  $R^2$ ,  $R^3$ ,  $R^4$  and  $R^5$  is independently:

- (a) hydrogen,
- (b)  $C_1$ - $C_5$  linear, branched, or cyclic alkyl,
- (c) phenyl,

- (d) C<sub>1</sub>-C<sub>3</sub> alkyl-phenyl,
- (e) up to per-halo substituted C<sub>1</sub>-C<sub>5</sub> linear or branched alkyl,
- (f) -(CH<sub>2</sub>)<sub>q</sub>-X, wherein X is a 5 or 6 membered heterocyclic ring, containing at least one atom selected from oxygen, nitrogen and sulfur, which is saturated, partially saturated, or aromatic, or a 8-10 membered bicyclic heteroaryl having 1-4 heteroatoms which are O, N or S, or
- (g) -(CH<sub>2</sub>)<sub>q</sub>-Y, where Y is C(O)R<sup>6</sup>, C(O)OR<sup>6</sup> and C(O)NR<sup>6</sup>R<sup>7</sup>;

each of R<sup>6</sup> – R<sup>7</sup> is independently :

- (a) hydrogen,
- (b) C<sub>1</sub>-C<sub>5</sub> linear, branched, or cyclic alkyl,
- (c) phenyl,
- (d) C<sub>1</sub>-C<sub>3</sub> alkyl-phenyl, or
- (e) up to per-halo substituted C<sub>1</sub>-C<sub>5</sub> linear or branched alkyl;

each of R<sup>1</sup>, R<sup>2</sup>, R<sup>3</sup>, R<sup>4</sup>, R<sup>5</sup>, R<sup>6</sup> and R<sup>7</sup>, other than per-halo substituted C<sub>1</sub>-C<sub>5</sub> linear or branched alkyl, is optionally substituted with 1-3 substituents which are independently C<sub>1</sub>-C<sub>5</sub> linear or branched alkyl, up to perhalo substituted C<sub>1</sub>-C<sub>5</sub> linear or branched alkyl, C<sub>1</sub>-C<sub>3</sub> alkoxy, hydroxy, carboxy, amino, C<sub>1</sub>-C<sub>3</sub> alkylamino, C<sub>1</sub>-C<sub>6</sub> dialkylamino, halogen, cyano, or nitro;

p is an integer selected from 0, 1, or 2; and

q is an integer selected from 1, 2, 3, or 4

or a pharmaceutically acceptable salt of formula I or an oxidized derivative of formula I wherein one or more urea nitrogens are substituted with a hydroxyl group, or an oxidized derivative of formula I wherein the nitrogen atom of pyridine ring M is in the oxide form, or a methyl, ethyl, propyl, isopropyl, butyl, isobutyl, pentyl ester or phenyl C<sub>1</sub>-C<sub>5</sub> alkyl ester of formula I at a carboxylic acid group or amide group.

2) (previously presented) A compound of claim 1 wherein A and B follow one of the following combinations:

A= 1H-benzimidazol-5-yl; and B= phenyl, pyridinyl or naphthyl,  
A= 1H-benzimidazol-6-yl; and B= phenyl, pyridinyl or naphthyl,  
A= 1,3-benzodioxin-6-yl; and B= phenyl, pyridinyl or naphthyl,  
A= 1,3-benzodioxin-7-yl; and B= phenyl, pyridinyl or naphthyl,  
A= 1,3-benzodioxin-8-yl; and B= phenyl, pyridinyl or naphthyl,  
A= 1,3-benzodioxol-4-yl; and B= phenyl, pyridinyl or naphthyl,  
A= 1,3-benzodioxol-5-yl; and B= phenyl, pyridinyl or naphthyl,  
A= 1,3-benzothiazol-2-yl; and B= phenyl, pyridinyl or naphthyl,  
A= 1,3-benzothiazol-5-yl; and B= phenyl, pyridinyl or naphthyl,  
A= 1,3-benzothiazol-6-yl; and B= phenyl, pyridinyl or naphthyl,  
A= 1,2,3-benzotriazol-5-yl; and B= phenyl, pyridinyl or naphthyl,  
A= 1,3-benzoxazol-2-yl; and B= phenyl, pyridinyl or naphthyl, or  
A= 1,3-benzoxazol-6-yl; and B= phenyl, pyridinyl or naphthyl.

3) (original) A compound of claim 1 wherein A and B follow one of the following combinations:

A= 1H-benzimidazolyl; and B= phenyl or pyridinyl,  
A= 1,3-benzodioxinyl; and B= phenyl or pyridinyl,  
A= 1,3-benzodioxolyl; and B= phenyl or pyridinyl,  
A= 1,3-benzothiazolyl; and B= phenyl or pyridinyl,  
A= 1,2,3-benzotriazolyl; and B= phenyl or pyridinyl, or  
A= 1,3-benzoxazolyl; and B= phenyl, pyridinyl.

4) (original) A compound of claim 1 wherein A and B follow one of the following combinations:

A= 1H-benzimidazol-5-yl; and B= phenyl or pyridinyl,  
A= 1H-benzimidazol-6-yl; and B= phenyl or pyridinyl,  
A= 1,3-benzodioxin-6-yl; and B= phenyl or pyridinyl,,  
A= 1,3-benzodioxin-7-yl; and B= phenyl or pyridinyl,

A= 1,3-benzodioxin-8-yl; and B= phenyl or pyridinyl,  
A= 1,3-benzodioxol-4-yl; and B= phenyl or pyridinyl, ,  
A= 1,3-benzodioxol-5-yl; and B= phenyl or pyridinyl,  
A= 1,3-benzothiazol-2-yl; and B= phenyl or pyridinyl,  
A= 1,3-benzothiazol-5-yl; and B= phenyl or pyridinyl,  
A= 1,3-benzothiazol-6-yl; and B= phenyl or pyridinyl,  
A= 1,2,3-benzotriazol-5-yl; and B= phenyl or pyridinyl,  
A= 1,3-benzoxazol-2-yl; and B= phenyl or pyridinyl, or  
A= 1,3-benzoxazol-6-yl; and B= phenyl or pyridinyl.

5) (previously presented) A compound of claim 1 wherein A and B follow one of the following combinations:

A= 2,3-dihydro-1,4-benzodioxin-5-yl; and B= phenyl, pyridinyl or naphthyl,

A= 2,3-dihydro-1,4-benzodioxin-6-yl; and B= phenyl, pyridinyl or naphthyl,

A= 2,3-dihydro-1-benzofuran-5-yl; and B= phenyl, pyridinyl or naphthyl,

A= 2,3-dihydro-1H-indol-5-yl; and B= phenyl, pyridinyl or naphthyl,

A= 2,3-dihydro-1H-indol-6-yl; and B= phenyl, pyridinyl or naphthyl,

A= 2,3-dihydro-1H-inden-4-yl; and B= phenyl, pyridinyl or naphthyl,

A= 2,3-dihydro-1H-inden-5-yl; and B= phenyl, pyridinyl or naphthyl,

A= 1,1-dioxido-2,3-dihydro-1-benzothien-6-yl; and B= phenyl, pyridinyl or naphthyl.

6) (original) A compound of claim 1 wherein A and B follow one of the following combinations:

A= 2,3-dihydro-1,4-benzodioxin-5-yl; and B= phenyl or pyridinyl,

A= 2,3-dihydro-1,4-benzodioxin-6-yl; and B= phenyl or pyridinyl,

A= 2,3-dihydro-1-benzofuran-5-yl; and B= phenyl or pyridinyl,

A= 2,3-dihydro-1H-indol-5-yl; and B= phenyl or pyridinyl,

A= 2,3-dihydro-1H-indol-6-yl; and B= phenyl or pyridinyl,

A= 2,3-dihydro-1H-inden-4-yl; and B= phenyl or pyridinyl,

A= 2,3-dihydro-1H-inden-5-yl; and B= phenyl or pyridinyl, or  
A= 1,1-dioxido-2,3-dihydro-1-benzothien-6-yl; and B= phenyl or  
pyridinyl.

7) (previously presented) A compound of claim 1 wherein A and B follow one of the following combinations:

A= 1H-indazol-5-yl; and B= phenyl, pyridinyl or naphthyl,  
A= 2H-indazol-5-yl; and B= phenyl, pyridinyl or naphthyl,  
A= 1H-indazol-6-yl; and B= phenyl, pyridinyl or naphthyl,  
A= 1H-indol-5-yl; and B= phenyl, pyridinyl or naphthyl,  
A= 2-oxo-2H-chromen-7-yl; and B= phenyl, pyridinyl or naphthyl or  
A= 1-oxo-2,3-dihydro-1H-inden-5-yl; and B= phenyl, pyridinyl or  
naphthyl.

8) (original) A compound of claim 1 wherein A and B follow one of the following combinations:

A= 1H-indazol-5-yl; and B= phenyl or pyridinyl,  
A= 2H-indazol-5-yl; and B= phenyl or pyridinyl,  
A= 1H-indazol-6-yl; and B= phenyl or pyridinyl,  
A= 1H-indol-5-yl; and B= phenyl or pyridinyl,  
A= 2-oxo-2H-chromen-7-yl; and B= phenyl or pyridinyl, or  
A= 1-oxo-2,3-dihydro-1H-inden-5-yl; and B= phenyl or pyridinyl.

9) (previously presented) A compound of claim 1 wherein A and B follow one of the following combinations:

A= quinoxalin-2-yl; and B= phenyl, pyridinyl or naphthyl or  
A= quinoxalin-6-yl; and B= phenyl, pyridinyl or naphthyl.

10) (original) A compound of claim 1 wherein A and B follow one of the following combinations:

A= quinoxalin-2-yl; and B= phenyl or pyridinyl, or

A= quinoxalin-6-yl; and B= phenyl or pyridinyl.

11) (original) A compound as in claim 1 wherein L is -O- or -S-.

12) (previously presented) A compound which is:

- N-methyl-4-[3-(((2-methyl-1,3-benzoxazol-6-yl)amino)carbonyl)amino)phenoxy]pyridine-2-carboxamide
- 4-[4-(((1-acetyl-2,3-dihydro-1H-indol-6-yl)amino)carbonyl)amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-[4-(((6-chloro-1,3-benzothiazol-2-yl)amino)carbonyl)amino)phenoxy]-N-methylpyridine-2-carboxamide
- N-methyl-4-[4-(((6-(trifluoromethoxy)-1,3-benzothiazol-2-yl)amino)carbonyl)amino)phenoxy]pyridine-2-carboxamide
- 4-[4-(((6-fluoro-1,3-benzothiazol-2-yl)amino)carbonyl)amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-[3-fluoro-4-(((6-fluoro-1,3-benzothiazol-2-yl)amino)carbonyl)amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-[3-fluoro-4-(((6-(trifluoromethoxy)-1,3-benzothiazol-2-yl)amino)carbonyl)amino)phenoxy]-N-methylpyridine-2-carboxamide;
- 4-[4-(((6-methoxy-1,3-benzothiazol-2-yl)amino)carbonyl)amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-[4-(((6-methoxy-1,3-benzothiazol-2-yl)amino)carbonyl)amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-[4-(((5-chloro-1,3-benzoxazol-2-yl)amino)carbonyl)amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-[4-(((5-chloro-1,3-benzoxazol-2-yl)amino)carbonyl)amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-[4-(((6-chloro-1,3-benzothiazol-2-yl)amino)carbonyl)amino)-3-fluorophenoxy]-N-methylpyridine-2-carboxamide
- 4-[4-(((6-chloro-1,3-benzothiazol-2-yl)amino)carbonyl)amino)-3-fluorophenoxy]-N-methylpyridine-2-carboxamide

- 4-(2-chloro-4-(((2,3-dihydro-1H-inden-5-ylamino)carbonyl)amino)phenoxy)-N-methylpyridine-2-carboxamide
- 4-[(5-(((2,3-dihydro-1H-inden-5-ylamino)carbonyl)amino)quinolin-8-yl)oxy]-N-methylpyridine-2-carboxamide
- 4-[4-(((4,6-difluoro-1,3-benzothiazol-2-yl)amino)carbonyl)amino]-3-fluorophenoxy]-N-methylpyridine-2-carboxamide
- 4-[3-fluoro-4-(((6-methoxy-1,3-benzothiazol-2-yl)amino)carbonyl)amino]phenoxy]-N-methylpyridine-2-carboxamide
- 4-(4-(((1-[2-(diethylamino)ethyl]-1H-indol-5-yl)amino)carbonyl)amino)-3-fluorophenoxy]-N-methylpyridine-2-carboxamide;
- 4-(4-(((2,3-dihydro-1H-inden-5-ylamino)carbonyl)amino)-3-fluorophenoxy)-N-methylpyridine-2-carboxamide
- 4-[3-fluoro-4-(((1-oxo-2,3-dihydro-1H-inden-5-yl)amino)carbonyl)amino]phenoxy]-N-methylpyridine-2-carboxamide
- 4-[4-(((1,1-dioxido-2,3-dihydro-1-benzothien-6-yl)amino)carbonyl)amino)-3-fluorophenoxy]-N-methylpyridine-2-carboxamide
- 4-[3-fluoro-4-(((1-methyl-1H-indazol-5-yl)amino)carbonyl)amino]phenoxy]-N-methylpyridine-2-carboxamide
- 4-[2-fluoro-4-(((1-methyl-1H-indazol-5-yl)amino)carbonyl)amino]phenoxy]-N-methylpyridine-2-carboxamide
- 4-[2,4-difluoro-5-(((1-methyl-1H-indazol-5-yl)amino)carbonyl)amino]phenoxy]-N-methylpyridine-2-carboxamide
- N-methyl-4-[4-(((1-methyl-1H-indazol-5-yl)amino)carbonyl)amino]-3-(trifluoromethyl)-phenoxy]pyridine-2-carboxamide
- 4-[4-fluoro-3-(((1-methyl-1H-indazol-5-yl)amino)carbonyl)amino]phenoxy]-N-methylpyridine-2-carboxamide
- 4-[2-fluoro-5-(((1-methyl-1H-indazol-5-yl)amino)carbonyl)amino]phenoxy]-N-methylpyridine-2-carboxamide
- 4-[2-chloro-6-fluoro-4-(((1-methyl-1H-indazol-5-yl)amino)carbonyl)amino]phenoxy]-N-methylpyridine-2-carboxamide
- 4-[3-fluoro-4-(((1-methyl-1H-indazol-5-yl)amino)carbonyl)amino]phenoxy]-N-(2-methoxyethyl)pyridine-2-carboxamide



- 4-[3-fluoro-4-(((2,2,3,3-tetrafluoro-2,3-dihydro-1,4-benzodioxin-6-yl)amino)carbonyl)-amino]phenoxy]-N-methylpyridine-2-carboxamide
- 4-[4-(((2,2-difluoro-1,3-benzodioxol-5-yl)amino)carbonyl)amino]-3-fluorophenoxy]-N-methylpyridine-2-carboxamide
- N-methyl-4-[4-(((quinoxalin-6-ylamino)carbonyl)amino)phenoxy]pyridine-2-carboxamide
- 4-(3-fluoro-4-(((quinoxalin-6-ylamino)carbonyl)amino)phenoxy)-N-methylpyridine-2-carboxamide
- N-methyl-4-[4-(((quinoxalin-6-ylamino)carbonyl)amino)-3-(trifluoromethyl)phenoxy]-pyridine-2-carboxamide
- 4-(3-chloro-4-(((quinoxalin-6-ylamino)carbonyl)amino)phenoxy)-N-methylpyridine-2-carboxamide
- N-methyl-4-[4-(((2,2,3,3-tetrafluoro-2,3-dihydro-1,4-benzodioxin-6-yl)amino)carbonyl)-amino]-3-(trifluoromethyl)phenoxy]pyridine-2-carboxamide
- 4-[4-(((2-methyl-1,3-benzothiazol-5-yl)amino)carbonyl)amino]phenoxy]pyridine-2-carboxamide
- N-methyl-4-[4-(((2-methyl-1,3-benzothiazol-5-yl)amino)carbonyl)amino]-3-(trifluoro-methyl)phenoxy]pyridine-2-carboxamide
- N-methyl-4-[3-methyl-4-(((4-methyl-2-oxo-2H-chromen-7-yl)amino)carbonyl)amino]-phenoxy]pyridine-2-carboxamide
- N-methyl-4-[3-methyl-4-(((2-methyl-1,3-benzothiazol-5-yl)amino)carbonyl)amino]-phenoxy]pyridine-2-carboxamide
- 4-[3-fluoro-4-(((2-methyl-1,3-benzothiazol-5-yl)amino)carbonyl)amino]phenoxy]-N-methylpyridine-2-carboxamide
- N-methyl-4-[[3-(((1-methyl-1H-indazol-5-yl)amino)carbonyl)amino]phenoxy]methyl]-pyridine-2-carboxamide
- 4-[[3-fluoro-4-(((1-methyl-1H-indazol-5-yl)amino)carbonyl)amino]phenoxy]methyl]-N-methylpyridine-2-carboxamide
- 4-[2-chloro-4-(((1-methyl-1H-indazol-5-yl)amino)carbonyl)amino]phenoxy]-N-methylpyridine-2-carboxamide

- N-methyl-4-[3-(((2,2,3,3-tetrafluoro-2,3-dihydro-1,4-benzodioxin-6-yl)amino)carbonyl)-amino)phenoxy]pyridine-2-carboxamide
- N-methyl-4-[4-(((2,2,3,3-tetrafluoro-2,3-dihydro-1,4-benzodioxin-6-yl)amino)carbonyl)-amino)phenoxy]pyridine-2-carboxamide
- 4-[3-(((2,2-difluoro-1,3-benzodioxol-5-yl)amino)carbonyl)amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-[4-(((2,2-difluoro-1,3-benzodioxol-5-yl)amino)carbonyl)amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-[2-chloro-4-(((2,2,3,3-tetrafluoro-2,3-dihydro-1,4-benzodioxin-6-yl)amino)carbonyl)-amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-[2-chloro-4-(((2,2-difluoro-1,3-benzodioxol-5-yl)amino)carbonyl)amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-[3-chloro-4-(((1-methyl-1H-indazol-5-yl)amino)carbonyl)amino)phenoxy]-N-methylpyridine-2-carboxamide
- N-methyl-4-[3-(((1-methyl-1H-indazol-5-yl)amino)carbonyl)amino)phenoxy]pyridine-2-carboxamide
- N-methyl-4-[3-(((1-methyl-1H-indazol-6-yl)amino)carbonyl)amino)phenoxy]pyridine-2-carboxamide
- 4-(3-(((2,3-dihydro-1-benzofuran-5-ylamino)carbonyl)amino)phenoxy)-N-methylpyridine-2-carboxamide
- N-methyl-4-[3-(((2-(trifluoromethyl)-1H-benzimidazol-5-yl)amino)carbonyl)amino)-phenoxy]pyridine-2-carboxamide
- 4-[4-chloro-3-(((1-methyl-1H-indazol-5-yl)amino)carbonyl)amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-[4-chloro-3-(((2,2,3,3-tetrafluoro-2,3-dihydro-1,4-benzodioxin-6-yl)amino)-carbonyl)amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-[4-chloro-3-(((2,2-difluoro-1,3-benzodioxol-5-yl)amino)carbonyl)amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-[3-chloro-4-(((1-methyl-1H-indazol-5-yl)amino)carbonyl)amino)phenoxy]pyridine-2-carboxamide
- 4-[2-chloro-4-(((1-methyl-1H-indazol-5-yl)amino)carbonyl)amino)phenoxy]pyridine-2-carboxamide

- 4-[4-(((2,2-difluoro-1,3-benzodioxol-5-yl)amino)carbonyl)amino]-3-fluorophenoxy]-pyridine-2-carboxamide
- 4-[3-fluoro-4-(((2,2,3,3-tetrafluoro-2,3-dihydro-1,4-benzodioxin-6-yl)amino)carbonyl)-amino]phenoxy]pyridine-2-carboxamide
- 4-(4-(((2,3-dihydro-1H-inden-5-ylamino)carbonyl)amino)phenoxy)-N-methylpyridine-2-carboxamide
- N-methyl-4-[4-(((1-oxo-2,3-dihydro-1H-inden-5-yl)amino)carbonyl)amino]phenoxy]-pyridine-2-carboxamide
- 5-[3-fluoro-4-(((2,2,3,3-tetrafluoro-2,3-dihydro-1,4-benzodioxin-6-yl)amino)carbonyl)-amino]phenoxy]-N-methylnicotinamide
- 4-[4-(((2,3-dihydro-1H-inden-5-ylamino)carbonyl)amino)-3-(trifluoromethyl)phenoxy]-N-methylpyridine-2-carboxamide
- N-methyl-4-[4-(((1-oxo-2,3-dihydro-1H-inden-5-yl)amino)carbonyl)amino)-3-(trifluoromethyl)phenoxy]pyridine-2-carboxamide
- 4-(3-chloro-4-(((2,3-dihydro-1H-inden-5-ylamino)carbonyl)amino)phenoxy)pyridine-2-carboxamide
- 4-[3-chloro-4-(((1-oxo-2,3-dihydro-1H-inden-5-yl)amino)carbonyl)amino]phenoxy]-pyridine-2-carboxamide
- N-methyl-4-[4-(((1-methyl-1H-indazol-5-yl)amino)carbonyl)amino]phenoxy]pyridine-2-carboxamide
- 4-(4-(((1,3-benzothiazol-6-ylamino)carbonyl)amino)phenoxy)-N-methylpyridine-2-carboxamide
- N-methyl-4-[4-(((1-methyl-1H-indazol-5-yl)amino)carbonyl)amino]phenoxy]pyridine-2-carboxamide
- 4-(4-(((2,3-dihydro-1-benzofuran-5-ylamino)carbonyl)amino)phenoxy)-N-methylpyridine-2-carboxamide
- 4-[2,4-dichloro-5-(((2,2,3,3-tetrafluoro-2,3-dihydro-1,4-benzodioxin-6-yl)amino)carbonyl)-amino]phenoxy]-N-methylpyridine-2-carboxamide
- 4-[2,4-dichloro-5-(((1-methyl-1H-indazol-5-yl)amino)carbonyl)amino]phenoxy]-N-methylpyridine-2-carboxamide
- 4-[3-chloro-4-(((2,2-difluoro-1,3-benzodioxol-5-yl)amino)carbonyl)amino]phenoxy]-N-methylpyridine-2-carboxamide

- 4-[3-chloro-4-(((2,2,3,3-tetrafluoro-2,3-dihydro-1,4-benzodioxin-6-yl)amino)carbonyl)-amino]phenoxy]-N-methylpyridine-2-carboxamide;
- 4-(3-chloro-4-(((2,3-dihydro-1H-inden-5-ylamino)carbonyl)amino)phenoxy)-N-methylpyridine-2-carboxamide
- 4-(3-chloro-4-(((2,3-dihydro-1H-inden-5-ylamino)carbonyl)amino)phenoxy)-N-methylpyridine-2-carboxamide;
- 4-[3-chloro-4-(((1-oxo-2,3-dihydro-1H-inden-5-yl)amino)carbonyl)amino]phenoxy]-N-methylpyridine-2-carboxamide;
- 4-[2-chloro-4-(((1-oxo-2,3-dihydro-1H-inden-5-yl)amino)carbonyl)amino]phenoxy]-N-methylpyridine-2-carboxamide
- 4-(3-chloro-4-(((2,3-dihydro-1H-inden-5-ylamino)carbonyl)amino)phenoxy)-N-methylpyridine-2-carboxamide
- 4-(3-chloro-4-(((2,3-dihydro-1H-inden-5-ylamino)carbonyl)amino)phenoxy)-N-methylpyridine-2-carboxamide
- 4-[2,4-dichloro-5-(((2,2-difluoro-1,3-benzodioxol-5-yl)amino)carbonyl)amino]phenoxy]-N-methylpyridine-2-carboxamide
- N-methyl-4-[4-(((1-(methylsulfonyl)-2,3-dihydro-1H-indol-5-yl)amino)carbonyl)amino]-phenoxy]pyridine-2-carboxamide
- N-methyl-4-[3-nitro-4-(((2,2,3,3-tetrafluoro-2,3-dihydro-1,4-benzodioxin-6-yl)amino)-carbonyl)amino]phenoxy]pyridine-2-carboxamide
- N-methyl-4-[2-methyl-4-(((2,2,3,3-tetrafluoro-2,3-dihydro-1,4-benzodioxin-6-yl)amino)-carbonyl)amino]phenoxy]pyridine-2-carboxamide
- 4-[2,3-difluoro-4-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl)amino]-phenoxy]-N-methylpyridine-2-carboxamide
- 4-[3,5-difluoro-4-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl)amino]-phenoxy]-N-methylpyridine-2-carboxamide
- 4-[2,5-difluoro-4-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl)amino]-phenoxy]-N-methylpyridine-2-carboxamide
- N-methyl-4-[4-(((2,2,3,3-tetrafluoro-2,3-dihydro-1,4-benzodioxin-5-yl)amino)carbonyl)-amino]phenoxy]pyridine-2-carboxamide trifluoroacetate
- 4-[3-fluoro-4-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl)-amino]phenoxy]-pyridine-2-carboxamide

- 4-[3-fluoro-4-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl)amino)-phenoxy]pyridine-2-carboxamide
- N-methyl-4-[[5-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl)amino)-quinolin-8-yl]oxy]pyridine-2-carboxamide
- 4-(3-[[[1H-indazol-5-ylamino)carbonyl]amino]phenoxy)-N-methylpyridine-2-carboxamide dihydrochloride
- N-[2-(methylamino)-2-oxoethyl]-4-[4-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl)amino)phenoxy]pyridine-2-carboxamide
- 4-(3-fluoro-4-[[[quinoxalin-2-ylamino)carbonyl]amino]phenoxy)-N-methylpyridine-2-carboxamide
- N-[2-(dimethylamino)-2-oxoethyl]-4-[4-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl)amino)phenoxy]pyridine-2-carboxamide
- N-methyl-4-[3-methyl-4-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl)-amino)phenoxy]pyridine-2-carboxamide
- Methyl 4-[3-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl)-amino)phenoxy]-pyridine-2-carboxylate
- 4-[3-chloro-4-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl)amino)-phenoxy]-N-methylpyridine-2-carboxamide
- 4-[3-chloro-4-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl)amino)-phenoxy]pyridine-2-carboxamide
- 4-(3-[[[1,3-benzodioxol-5-ylamino)carbonyl]amino]phenoxy)-N-methylpyridine-2-carboxamide
- N-methyl-4-[3-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl)amino)-phenoxy]pyridine-2-carboxamide
- 4-(3-[[[2,3-dihydro-1,4-benzodioxin-6-ylamino)carbonyl]amino]phenoxy)-N-methylpyridine-2-carboxamide
- 4-[4-chloro-3-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl)amino)-phenoxy]-N-methylpyridine-2-carboxamide
- 5-[2-fluoro-4-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl)amino)-phenoxy]-N-methylnicotinamide
- 4-[2-chloro-4-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl)amino)-phenoxy]pyridine-2-carboxamide

- 4-[3-chloro-4-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl)amino)-phenoxy]pyridine-2-carboxamide
- 4-[3-fluoro-4-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl)amino)-phenoxy]pyridine-2-carboxamide
- 4-[3-fluoro-4-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl)amino)-phenoxy]pyridine-2-carboxamide
- 4-(3-(((1,3-benzodioxol-5-ylamino)carbonyl)amino)-4-chlorophenoxy)-N-methylpyridine-2-carboxamide
- 4-[4-chloro-3-(((6-fluoro-4H-1,3-benzodioxin-8-yl)amino)carbonyl)amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-(4-(((1,3-benzodioxol-5-ylamino)carbonyl)amino)-3-fluorophenoxy)pyridine-2-carboxamide
- 4-[3-fluoro-4-(((6-fluoro-4H-1,3-benzodioxin-8-yl)amino)carbonyl)amino)phenoxy]-pyridine-2-carboxamide
- 4-(4-chloro-3-(((2,3-dihydro-1,4-benzodioxin-6-ylamino)carbonyl)amino)phenoxy)-N-methylpyridine-2-carboxamide
- 4-[3-(((7-fluoro-2,3-dihydro-1,4-benzodioxin-5-yl)amino)carbonyl)amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-[3-fluoro-4-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl)amino)-phenoxy]-N-methylpyridine-2-carboxamide
- 4-(4-(((1,3-benzodioxol-5-ylamino)carbonyl)amino)phenoxy)-N-methylpyridine-2-carboxamide
- N-methyl-4-[4-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl)amino)-phenoxy]pyridine-2-carboxamide
- Methyl 4-[4-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl)-amino)phenoxy]pyridine-2-carboxylate
- Methyl 5-[4-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl)amino)-phenoxy]nicotinate
- 4-[2,4-dichloro-5-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl)amino)-phenoxy]-N-methylpyridine-2-carboxamide
- N-methyl-5-[4-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl)amino)-phenoxy]nicotinamide

- 4-(4-(((1,3-benzodioxol-5-ylamino)carbonyl)amino)-3-chlorophenoxy)-N-methylpyridine-2-carboxamide
- 4-[3-chloro-4-(((6-fluoro-4H-1,3-benzodioxin-8-yl)amino)carbonyl)amino]phenoxy]-N-methylpyridine-2-carboxamide
- N-methyl-4-[2-methyl-4-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl)-amino]phenoxy]pyridine-2-carboxamide
- N-methyl-4-[3-nitro-4-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl)-amino]phenoxy]pyridine-2-carboxamide
- N-methyl-4-[3-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl)amino]-phenoxy]pyridine-2-carboxamide 1-oxide
- 4-[3-(((1-methyl-1H-indazol-5-yl)amino)carbonyl)amino]phenoxy]-N-(2-piperidin-1-ylethyl)pyridine-2-carboxamide
- 4-[3-(((1-methyl-1H-indazol-5-yl)amino)carbonyl)amino]phenoxy]-N-(2-pyrrolidin-1-ylethyl)pyridine-2-carboxamide
- 4-[3-(((1-methyl-1H-indazol-5-yl)amino)carbonyl)amino]phenoxy]-N-pyridin-3-ylpyridine-2-carboxamide
- N-[3-(1H-imidazol-1-yl)propyl]-4-[3-(((1-methyl-1H-indazol-5-yl)amino)carbonyl)amino]-phenoxy]pyridine-2-carboxamide
- N-(2-piperidin-1-ylethyl)-4-[3-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)-carbonyl)amino]phenoxy]pyridine-2-carboxamide
- N-(2-pyrrolidin-1-ylethyl)-4-[3-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)-carbonyl)amino]phenoxy]pyridine-2-carboxamide
- N-pyridin-3-yl-4-[3-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl)-amino]phenoxy]pyridine-2-carboxamide
- N-[3-(1H-imidazol-1-yl)propyl]-4-[3-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)-carbonyl)amino]phenoxy]pyridine-2-carboxamide
- N-[3-(1H-imidazol-1-yl)propyl]-4-[4-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)-carbonyl)amino]phenoxy]pyridine-2-carboxamide
- N-(2-pyrrolidin-1-ylethyl)-4-[4-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)-carbonyl)amino]phenoxy]pyridine-2-carboxamide
- N-(2-piperidin-1-ylethyl)-4-[4-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)-carbonyl)amino]phenoxy]pyridine-2-carboxamide

- N-(2-piperazin-1-ylethyl)-4-[4-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl)amino)phenoxy]pyridine-2-carboxamide
- N-pyridin-2-yl-4-[4-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl)amino)-phenoxy]pyridine-2-carboxamide
- 4-[4-(((1-methyl-1H-indazol-5-yl)amino)carbonyl)amino)phenoxy]-N-(2-pyrrolidin-1-ylethyl)pyridine-2-carboxamide
- 4-[4-(((1-methyl-1H-indazol-5-yl)amino)carbonyl)amino)phenoxy]-N-(2-piperazin-1-ylethyl)pyridine-2-carboxamide
- 4-[2-methoxy-4-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl)amino)-phenoxy]pyridine-2-carboxamide
- 4-(4-(((2,3-dihydro-1H-inden-5-ylamino)carbonyl)amino)-2-methoxyphenoxy)pyridine-2-carboxamide
- 4-[2,5-difluoro-4-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl)amino)-phenoxy]pyridine-2-carboxamide
- 4-[3,5-difluoro-4-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl)amino)-phenoxy]pyridine-2-carboxamide
- 4-[3-(aminocarbonyl)-4-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl)-amino)phenoxy]pyridine-2-carboxamide
- N-methyl-4-[3-(methylsulfonyl)-4-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl)amino)phenoxy]pyridine-2-carboxamide
- N-methyl-4-[3-(methylthio)-4-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl)amino)phenoxy]pyridine-2-carboxamide
- 4-[3-fluoro-4-(((6-nitro-1,3-benzothiazol-2-yl)amino)carbonyl)amino)phenoxy]-N-methylpyridine-2-carboxamide
- N-methyl-4-[4-(((6-nitro-1,3-benzothiazol-2-yl)amino)carbonyl)amino)phenoxy]pyridine-2-carboxamide
- 4-[4-(((4,6-difluoro-1,3-benzothiazol-2-yl)amino)carbonyl)amino)phenoxy]-N-methylpyridine-2-carboxamide
- N-methyl-4-[4-(((2-methyl-1,3-benzoxazol-6-yl)amino)carbonyl)amino)phenoxy]pyridine-2-carboxamide
- 4-(4-(((2,3-dihydro-1H-inden-4-ylamino)carbonyl)amino)phenoxy)-N-methylpyridine-2-carboxamide



- 4-[4-(((2,2-difluoro-1,3-benzodioxol-4-yl)amino)carbonyl)amino]phenoxy]-N-methylpyridine-2-carboxamide
- N-methyl-4-[4-(((2-methyl-2H-indazol-5-yl)amino)carbonyl)amino]phenoxy]pyridine-2-carboxamide
- 4-(4-(((1-[2-(diethylamino)ethyl]-1H-indazol-5-yl)amino)carbonyl)amino)-3-fluorophenoxy]-N-methylpyridine-2-carboxamide
- N-methyl-4-[4-(((2-methyl-1H-indol-5-yl)amino)carbonyl)amino]phenoxy]pyridine-2-carboxamide
- N-{4-[(2-acetylpyridin-4-yl)oxy]phenyl}-N'-(1-methyl-1H-indazol-5-yl)urea
- N-[2-(dimethylamino)-2-oxoethyl]-4-[4-(((1-methyl-1H-indazol-5-yl)amino)carbonyl)-aminophenoxy]pyridine-2-carboxamide
- N-methyl-4-[4-(((2-methyl-1,3-benzothiazol-5-yl)amino)carbonyl)amino]phenoxy]pyridine-2-carboxamide
- N-methyl-4-[[4-(((1-methyl-1H-indazol-5-yl)amino)carbonyl)amino]phenoxy]methyl]-pyridine-2-carboxamide
- 4-(3-(((1H-1,2,3-benzotriazol-5-ylamino)carbonyl)amino)phenoxy)-N-methylpyridine-2-carboxamide
- Methyl 4-[3-(((1-methyl-1H-indazol-5-yl)amino)carbonyl)amino]phenoxy]pyridine-2-carboxylate
- 4-(4-(((1H-1,2,3-benzotriazol-5-ylamino)carbonyl)amino)phenoxy)-N-methylpyridine-2-carboxamide
- 4-(4-(((1H-indazol-6-ylamino)carbonyl)amino)phenoxy)-N-methylpyridine-2-carboxamide
- N-methyl-4-{4-[[4-((trifluoromethyl)-1H-benzimidazol-5-yl)amino)carbonyl]amino]-phenoxy}pyridine-2-carboxamide
- 4-[4-(((1-ethyl-2-methyl-1H-benzimidazol-5-yl)amino)carbonyl)amino]phenoxy]-N-methylpyridine-2-carboxamide
- Methyl 4-[4-(((1-methyl-1H-indazol-5-yl)amino)carbonyl)amino]phenoxy]pyridine-2-carboxylate
- 4-[2-chloro-4-(((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-7-yl)amino)carbonyl)amino]-phenoxy]-N-methylpyridine-2-carboxamide
- 4-(4-(((2,3-dihydro-1,4-benzodioxin-6-ylamino)carbonyl)amino)phenoxy)-N-[3-(1H-imidazol-1-yl)propyl]pyridine-2-carboxamide

- 4-(4-(((2,3-dihydro-1,4-benzodioxin-6-ylamino)carbonyl)amino)phenoxy)-N-(2-pyrrolidin-1-ylethyl)pyridine-2-carboxamide
- N-[3-(1H-imidazol-1-yl)propyl]-4-[4-(((1-methyl-1H-indazol-5-yl)amino)carbonyl)amino]-phenoxy]pyridine-2-carboxamide
- 4-[4-(((1-methyl-1H-indazol-5-yl)amino)carbonyl)amino]phenoxy]-N-(2-piperidin-1-ylethyl)pyridine-2-carboxamide
- N-cyclopropyl-4-[4-(((1-methyl-1H-indazol-5-yl)amino)carbonyl)amino]phenoxy]pyridine-2-carboxamide
- N-(cyclopropylmethyl)-4-[4-(((1-methyl-1H-indazol-5-yl)amino)carbonyl)amino]phenoxy]-pyridine-2-carboxamide
- N-cyclobutyl-4-[4-(((1-methyl-1H-indazol-5-yl)amino)carbonyl)amino]phenoxy]pyridine-2-carboxamide or
- Methyl-N-((4-[4-(((1-methyl-1H-indazol-5-yl)amino)carbonyl)amino]phenoxy]pyridin-2-yl)carbonyl)glycinate\_

13) (original) A pharmaceutical composition which comprises an effective amount of at least one compound of claim1 and a physiologically acceptable carrier.

14) (cancelled)

15) (cancelled)

16) (cancelled)

17) (cancelled)

18) (cancelled)

19) (cancelled)


20) (cancelled)

21) (cancelled)

22) (cancelled)

23) (cancelled)

24) (previously presented) A compound of formula (I):




wherein

Q is  $C(O)R^4$ ,  $C(O)OR^4$  or  $C(O)NR^4R^5$ ;

wherein A is a bicyclic heterocycle which is:

- (1) benzimidazol-5-yl
- (2) benzimidazol-6-yl
- (3) 1,3-benzothiazol-2-yl
- (4) 1,3-benzothiazol-5-yl
- (5) 1,3-benzothiazol-6-yl
- (6) 1,2,3-benzotriazol-5-yl
- (7) 1,3-benzoxazol-2-yl
- (8) 1,3-benzoxazol-6-yl
- (9) 2,3-dihydro-1H-indol-5-yl
- (10) 2,3-dihydro-1H-indol-6-yl
- (11) 2,3-dihydro-1H-inden-4-yl
- (12) 2,3-dihydro-1H-inden-5-yl
- (13) 1,1-dioxido-2,3-dihydro-1-benzothien-6-yl
- (14) 1H-indazol-5-yl
- (15) 2H-indazol-5-yl
- (16) 1H-indazol-6-yl
- (17) 1H-indol-5-yl
- (18) 2-oxo-2H-chromen-7-yl
- (19) 1-oxo-2,3-dihydro-1H-inden-5-yl
- (20) quinoxalin-2-yl
- (21) quinoxalin-6-yl, or
- (22) a group of the formula



optionally substituted with 1-4 substituents which are independently  $R^1$ ,  $OR^1$ ,  $S(O)_pR^1$ ,  $C(O)R^1$ ,  $C(O)OR^1$ ,  $C(O)NR^1R^2$ , halogen, oxo, cyano, or nitro

B is phenyl, optionally substituted with 1-4 substituents which are independently  $C_1$ - $C_5$  linear or branched alkyl,  $C_1$ - $C_5$  linear or branched haloalkyl,  $C_1$ - $C_3$  alkoxy, hydroxy, amino,  $C_1$ - $C_3$  alkylamino,  $C_1$ - $C_6$  dialkylamino, carboxamide, halogen, cyano, nitro or  $S(O)_pR^7$ ;

L is :

- (a)  $-(CH_2)_m-O-(CH_2)_l-$ ,
- (b)  $-(CH_2)_m-(CH_2)_l-$ ,
- (c)  $-(CH_2)_m-C(O)-(CH_2)_l-$ ,
- (d)  $-(CH_2)_m-NR^3-(CH_2)_l-$ ,
- (e)  $-(CH_2)_m-NR^3C(O)-(CH_2)_l-$ ,
- (f)  $-(CH_2)_m-S-(CH_2)_l-$ ,
- (g)  $-(CH_2)_m-C(O)NR^3-(CH_2)_l-$ , or
- (h) a single bond;

m and l are integers independently selected from 0-4;

M is a pyridine ring, optionally substituted with 1-3 substituents which are independently  $C_1$ - $C_5$  linear or branched alkyl,  $C_1$ - $C_5$  linear or branched haloalkyl,  $C_1$ - $C_3$  alkoxy, hydroxy, amino,  $C_1$ - $C_3$  alkylamino,  $C_1$ - $C_6$  dialkylamino, halogen, or nitro;

Q is  $C(O)R^4$ ,  $C(O)OR^4$  or  $C(O)NR^4R^5$ ;

each of  $R^1$ ,  $R^2$ ,  $R^3$ ,  $R^4$  and  $R^5$ , is independently:

- (a) hydrogen,
- (b)  $C_1$ - $C_5$  linear, branched, or cyclic alkyl,
- (c) phenyl,
- (d)  $C_1$ - $C_3$  alkyl-phenyl,
- (e) up to per-halo substituted  $C_1$ - $C_5$  linear or branched alkyl,
- (f)  $-(CH_2)_q-X$ , wherein  $X$  is a 5 or 6 membered heterocyclic ring, containing at least one atom selected from oxygen, nitrogen and sulfur, which is saturated, partially saturated, or aromatic, or a 8-10 membered bicyclic heteroaryl having 1-4 heteroatoms which are O, N or S, or
- (g)  $-(CH_2)_q-Y$ , where  $Y$  is  $C(O)R^6$ ,  $C(O)OR^6$  and  $C(O)NR^6R^7$ ;

each of  $R^6 - R^7$  is independently :

- (a) hydrogen,
- (b)  $C_1$ - $C_5$  linear, branched, or cyclic alkyl,
- (c) phenyl,
- (d)  $C_1$ - $C_3$  alkyl-phenyl, or
- (e) up to per-halo substituted  $C_1$ - $C_5$  linear or branched alkyl;

each of  $R^1$ ,  $R^2$ ,  $R^3$ ,  $R^4$ ,  $R^5$ ,  $R^6$  and  $R^7$ , other than per-halo substituted  $C_1$ - $C_5$  linear or branched alkyl, is optionally substituted with 1-3 substituents which are independently  $C_1$ - $C_5$  linear or branched alkyl, up to perhalo substituted  $C_1$ - $C_5$  linear or branched alkyl,  $C_1$ - $C_3$  alkoxy, hydroxy, carboxy, amino,  $C_1$ - $C_3$  alkylamino,  $C_1$ - $C_6$  dialkylamino, halogen, cyano, or nitro;

$p$  is an integer selected from 0, 1, or 2; and


$q$  is an integer selected from 1, 2, 3, or 4,

or a pharmaceutically acceptable salt of formula I or an oxidized derivative of formula I wherein one or more urea nitrogens are substituted with a hydroxyl group, or an oxidized derivative of formula I wherein the nitrogen atom of

pyridine ring M is in the oxide form, or a methyl, ethyl, propyl, isopropyl, butyl, isobutyl, pentyl ester or phenyl C<sub>1</sub>-C<sub>5</sub> alkyl ester of formula I at a carboxylic acid group or amide group.

25) (original) A compound of claim 24 wherein A is selected from

- (1) benzimidazol-5-yl
- (2) benzimidazol-6-yl
- (8) 1,3-benzoxazol-6-yl
- (9) 2,3-dihydro-1H-indol-5-yl
- (10) 2,3-dihydro-1H-indol-6-yl
- (11) 2,3-dihydro-1H-inden-4-yl
- (12) 2,3-dihydro-1H-inden-5-yl
- (13) 1,1-dioxido-2,3-dihydro-1-benzothien-6-yl
- (14) 1H-indazol-5-yl
- (15) 2H-indazol-5-yl
- (16) 1H-indazol-6-yl
- (17) 1H-indol-5-yl
- (18) quinoxalin-2-yl
- (19) quinoxalin-6-yl, and
- (20) a group of the formula




26) (original) A compound of claim 24 wherein the optional substituents on bicyclic heterocycle A are independently R<sup>1</sup>, OR<sup>1</sup>, and halogen.

27) (previously presented) A compound as in claim 26 wherein B is phenyl optionally substituted with 1-4 substituents which are halogen.

28) (original) A compound of claim 27 wherein L is  $-\text{O}-$ .

29) (original) A compound of claim 28 wherein Q is  $\text{C}(\text{O})\text{NR}^4\text{R}^5$  and each of  $\text{R}^4$  and  $\text{R}^5$  is independently hydrogen or  $\text{C}_1\text{-C}_5$  alkyl.


30) (previously presented) A compound of formula (I):



wherein

A is a bicyclic heterocycle which is:

- (1) benzimidazol-5-yl
- (2) benzimidazol-6-yl
- (8) 1,3-benzoxazol-6-yl
- (9) 2,3-dihydro-1H-indol-5-yl
- (10) 2,3-dihydro-1H-indol-6-yl
- (11) 2,3-dihydro-1H-inden-4-yl
- (12) 2,3-dihydro-1H-inden-5-yl
- (13) 1,1-dioxido-2,3-dihydro-1-benzothien-6-yl
- (14) 1H-indazol-5-yl
- (15) 2H-indazol-5-yl
- (16) 1H-indazol-6-yl
- (17) 1H-indol-5-yl
- (18) quinoxalin-2-yl
- (19) quinoxalin-6-yl, and
- (20) a group of the formula



optionally substituted with 1-4 substituents which are independently  $R^1$ ,  $OR^1$ ,  $S(O)_pR^1$ ,  $C(O)R^1$ ,  $C(O)OR^1$ ,  $C(O)NR^1R^2$ , halogen, oxo, cyano, or nitro

B is phenyl, optionally substituted with halogen,

L is  $-O-$ ,

M is a pyridine ring substituted only with Q,


Q is  $C(O)NHR^5$  and  $R^5$  is independently hydrogen or  $C_1-C_5$  alkyl,

and p is an integer selected from 0, 1, or 2

or a pharmaceutically acceptable salt of formula I or an oxidized derivative of formula I wherein one or more urea nitrogens are substituted with a hydroxyl group, or an oxidized derivative of formula I wherein the nitrogen atom of pyridine ring M is in the oxide form, or a methyl, ethyl, propyl, isopropyl, butyl, isobutyl, pentyl ester or phenyl  $C_1-C_5$  alkyl ester of formula I at a carboxylic acid group or amide group.

31) (cancelled)

32) (New) A compound of formula (I):




wherein

A is a bicyclic heterocycle which is:

- (1) benzimidazolyl
- (2) 1,3-benzothiazolyl
- (3) 1,2,3-benzotriazolyl



- (4) 1,3-benzoxazolyl
- (5) 2,3-dihydro-1H-indolyl
- (6) 2,3-dihydro-1H-indenyl
- (7) 1,1-dioxido-2,3-dihydro-1-benzothienyl
- (8) 1H-indazolyl
- (9) 2H-indazolyl
- (10) 1H-indolyl
- (11) 2H-chromenyl
- (12) quinoxalinyI or
- (13) a group of the formula



optionally substituted with 1-4 substituents which are independently  $R^1$ ,  $OR^1$ ,  $S(O)_pR^1$ ,  $C(O)R^1$ ,  $C(O)OR^1$ ,  $C(O)NR^1R^2$ , halogen, oxo, cyano, or nitro;

B is quinolinyl, optionally substituted with 1-4 substituents which are independently  $C_1$ - $C_5$  linear or branched alkyl,  $C_1$ - $C_5$  linear or branched haloalkyl,  $C_1$ - $C_3$  alkoxy, hydroxy, amino,  $C_1$ - $C_3$  alkylamino,  $C_1$ - $C_6$  dialkylamino, carboxamide, halogen, cyano, nitro or  $S(O)_pR^7$ ;

L is :

- (a)  $-(CH_2)_m-O-(CH_2)_l-$ ,
- (b)  $-(CH_2)_m-(CH_2)_l-$ ,
- (c)  $-(CH_2)_m-C(O)-(CH_2)_l-$ ,
- (d)  $-(CH_2)_m-NR^3-(CH_2)_l-$ ,
- (e)  $-(CH_2)_m-NR^3C(O)-(CH_2)_l-$ ,
- (f)  $-(CH_2)_m-S-(CH_2)_l-$ ,
- (g)  $-(CH_2)_m-C(O)NR^3-(CH_2)_l-$ , or
- (h) a single bond;

m and l are integers independently selected from 0-4;

M is a pyridine ring, optionally substituted with 1-3 substituents which are independently C<sub>1</sub>-C<sub>5</sub> linear or branched alkyl, C<sub>1</sub>-C<sub>5</sub> linear or branched haloalkyl, C<sub>1</sub>-C<sub>3</sub> alkoxy, hydroxy, amino, C<sub>1</sub>-C<sub>3</sub> alkylamino, C<sub>1</sub>-C<sub>6</sub> dialkylamino, halogen, or nitro;

Q is C(O)R<sup>4</sup>, C(O)OR<sup>4</sup> or C(O)NR<sup>4</sup>R<sup>5</sup>;

each of R<sup>1</sup>, R<sup>2</sup>, R<sup>3</sup>, R<sup>4</sup> and R<sup>5</sup> is independently:

- (a) hydrogen,
- (b) C<sub>1</sub>-C<sub>5</sub> linear, branched, or cyclic alkyl,
- (c) phenyl,
- (d) C<sub>1</sub>-C<sub>3</sub> alkyl-phenyl,
- (e) up to per-halo substituted C<sub>1</sub>-C<sub>5</sub> linear or branched alkyl,
- (f) -(CH<sub>2</sub>)<sub>q</sub>-X, wherein X is a 5 or 6 membered heterocyclic ring, containing at least one atom selected from oxygen, nitrogen and sulfur, which is saturated, partially saturated, or aromatic, or a 8-10 membered bicyclic heteroaryl having 1-4 heteroatoms which are O, N or S, or
- (g) -(CH<sub>2</sub>)<sub>q</sub>-Y, where Y is C(O)R<sup>6</sup>, C(O)OR<sup>6</sup> and C(O)NR<sup>6</sup>R<sup>7</sup>;

each of R<sup>6</sup> – R<sup>7</sup> is independently :

- (a) hydrogen,
- (b) C<sub>1</sub>-C<sub>5</sub> linear, branched, or cyclic alkyl,
- (c) phenyl,
- (d) C<sub>1</sub>-C<sub>3</sub> alkyl-phenyl, or
- (e) up to per-halo substituted C<sub>1</sub>-C<sub>5</sub> linear or branched alkyl;

each of R<sup>1</sup>, R<sup>2</sup>, R<sup>3</sup>, R<sup>4</sup>, R<sup>5</sup>, R<sup>6</sup> and R<sup>7</sup>, other than per-halo substituted C<sub>1</sub>-C<sub>5</sub> linear or branched alkyl, is optionally substituted with 1-3 substituents which are independently C<sub>1</sub>-C<sub>5</sub> linear or branched alkyl, up to perhalo substituted C<sub>1</sub>-

C<sub>5</sub> linear or branched alkyl, C<sub>1</sub>-C<sub>3</sub> alkoxy, hydroxy, carboxy, amino, C<sub>1</sub>-C<sub>3</sub> alkylamino, C<sub>1</sub>-C<sub>6</sub> dialkylamino, halogen, cyano, or nitro;

p is an integer selected from 0, 1, or 2; and

q is an integer selected from 1, 2, 3, or 4

or a pharmaceutically acceptable salt of formula I or an oxidized derivative of formula I wherein one or more urea nitrogens are substituted with a hydroxyl group, or an oxidized derivative of formula I wherein the nitrogen atom of pyridine ring M is in the oxide form, or a methyl, ethyl, propyl, isopropyl, butyl, isobutyl, pentyl ester or phenyl C<sub>1</sub>-C<sub>5</sub> alkyl ester of formula I at a carboxylic acid group or amide group.

33) (New) A compound of claim 1 wherein A and B follow one of the following combinations:

A= 1H-benzimidazol-5-yl; and B= quinolinyl,  
A= 1H-benzimidazol-6-yl; and B= quinolinyl ,  
A= 1,3-benzodioxin-6-yl; and B= quinolinyl,  
A= 1,3-benzodioxin-7-yl; and B= quinolinyl,  
A= 1,3-benzodioxin-8-yl; and B= quinolinyl,  
A= 1,3-benzodioxol-4-yl; and B= quinolinyl,  
A= 1,3-benzodioxol-5-yl; and B= quinolinyl,  
A= 1,3-benzothiazol-2-yl; and B= quinolinyl,  
A= 1,3-benzothiazol-5-yl; and B= quinolinyl,  
A= 1,3-benzothiazol-6-yl; and B= quinolinyl,  
A= 1,2,3-benzotriazol-5-yl; and B= quinolinyl,  
A= 1,3-benzoxazol-2-yl; and B= quinolinyl, or  
A= 1,3-benzoxazol-6-yl; and B= quinolinyl\_

34) (New) A compound of claim 1 wherein A and B follow one of the following combinations:

A= 2,3-dihydro-1,4-benzodioxin-5-yl; and B= quinolinyI,  
 A= 2,3-dihydro-1,4-benzodioxin-6-yl; and B= quinolinyI,  
 A= 2,3-dihydro-1-benzofuran-5-yl; and B= quinolinyI,  
 A= 2,3-dihydro-1H-indol-5-yl; and B= quinolinyI,  
 A= 2,3-dihydro-1H-indol-6-yl; and B= quinolinyI,  
 A= 2,3-dihydro-1H-inden-4-yl; and B= quinolinyI,  
 A= 2,3-dihydro-1H-inden-5-yl; and B= quinolinyI,  
 A= 1,1-dioxido-2,3-dihydro-1-benzothien-6-yl; and B= quinolinyI.

35) (New) A compound of claim 1 wherein A and B follow one of the following combinations:

A= 1H-indazol-5-yl; and B= quinolinyI,  
 A= 2H-indazol-5-yl; and B= quinolinyI,  
 A= 1H-indazol-6-yl; and B= quinolinyI,  
 A= 1H-indol-5-yl; and B= quinolinyI,  
 A= 2-oxo-2H-chromen-7-yl; and B= quinolinyI or  
 A= 1-oxo-2,3-dihydro-1H-inden-5-yl and B=quinolinyI.


36) (New) A compound of claim 1 wherein A and B follow one of the following combinations:

A= quinoxalin-2-yl; and B= quinolinyI or  
 A= quinoxalin-6-yl; and B= quinolinyI.

37) (New) A compound as in claim 32 wherein L is -O- or -S-.

- 38) (New) A pharmaceutical composition which comprises an effective amount of at least one compound of claim 32 and a physiologically acceptable carrier.

39) (New) A compound of formula (I):




wherein

Q is  $C(O)R^4$ ,  $C(O)OR^4$  or  $C(O)NR^4R^5$ ;

wherein A is a bicyclic heterocycle which is:

- (1) benzimidazol-5-yl
- (2) benzimidazol-6-yl
- (3) 1,3-benzothiazol-2-yl
- (4) 1,3-benzothiazol-5-yl
- (5) 1,3-benzothiazol-6-yl
- (6) 1,2,3-benzotriazol-5-yl
- (7) 1,3-benzoxazol-2-yl
- (8) 1,3-benzoxazol-6-yl
- (9) 2,3-dihydro-1H-indol-5-yl
- (10) 2,3-dihydro-1H-indol-6-yl
- (11) 2,3-dihydro-1H-inden-4-yl
- (12) 2,3-dihydro-1H-inden-5-yl
- (13) 1,1-dioxido-2,3-dihydro-1-benzothien-6-yl
- (14) 1H-indazol-5-yl
- (15) 2H-indazol-5-yl
- (16) 1H-indazol-6-yl
- (17) 1H-indol-5-yl
- (18) 2-oxo-2H-chromen-7-yl
- (19) 1-oxo-2,3-dihydro-1H-inden-5-yl
- (20) quinoxalin-2-yl
- (21) quinoxalin-6-yl, or
- (22) a group of the formula



optionally substituted with 1-4 substituents which are independently  $R^1$ ,  $OR^1$ ,  $S(O)_pR^1$ ,  $C(O)R^1$ ,  $C(O)OR^1$ ,  $C(O)NR^1R^2$ , halogen, oxo, cyano, or nitro

B is quinolinyl, optionally substituted with 1-4 substituents which are independently  $C_1$ - $C_5$  linear or branched alkyl,  $C_1$ - $C_5$  linear or branched haloalkyl,  $C_1$ - $C_3$  alkoxy, hydroxy, amino,  $C_1$ - $C_3$  alkylamino,  $C_1$ - $C_6$  dialkylamino, carboxamide, halogen, cyano, nitro or  $S(O)_pR^7$ ;

L is :

- (a)  $-(CH_2)_m-O-(CH_2)_l-$ ,
- (b)  $-(CH_2)_m-(CH_2)_l-$ ,
- (c)  $-(CH_2)_m-C(O)-(CH_2)_l-$ ,
- (d)  $-(CH_2)_m-NR^3-(CH_2)_l-$ ,
- (e)  $-(CH_2)_m-NR^3C(O)-(CH_2)_l-$ ,
- (f)  $-(CH_2)_m-S-(CH_2)_l-$ ,
- (g)  $-(CH_2)_m-C(O)NR^3-(CH_2)_l-$ , or
- (h) a single bond;

m and l are integers independently selected from 0-4;

M is a pyridine ring, optionally substituted with 1-3 substituents which are independently  $C_1$ - $C_5$  linear or branched alkyl,  $C_1$ - $C_5$  linear or branched haloalkyl,  $C_1$ - $C_3$  alkoxy, hydroxy, amino,  $C_1$ - $C_3$  alkylamino,  $C_1$ - $C_6$  dialkylamino, halogen, or nitro;

Q is  $C(O)R^4$ ,  $C(O)OR^4$  or  $C(O)NR^4R^5$ ;

each of  $R^1$ ,  $R^2$ ,  $R^3$ ,  $R^4$  and  $R^5$ , is independently:

- (a) hydrogen,
- (b)  $C_1$ - $C_5$  linear, branched, or cyclic alkyl,
- (c) phenyl,
- (d)  $C_1$ - $C_3$  alkyl-phenyl,
- (e) up to per-halo substituted  $C_1$ - $C_5$  linear or branched alkyl,
- (f)  $-(CH_2)_q-X$ , wherein  $X$  is a 5 or 6 membered heterocyclic ring, containing at least one atom selected from oxygen, nitrogen and sulfur, which is saturated, partially saturated, or aromatic, or a 8-10 membered bicyclic heteroaryl having 1-4 heteroatoms which are O, N or S, or
- (g)  $-(CH_2)_q-Y$ , where  $Y$  is  $C(O)R^6$ ,  $C(O)OR^6$  and  $C(O)NR^6R^7$ ;

each of  $R^6 - R^7$  is independently :

- (a) hydrogen,
- (b)  $C_1$ - $C_5$  linear, branched, or cyclic alkyl,
- (c) phenyl,
- (d)  $C_1$ - $C_3$  alkyl-phenyl, or
- (e) up to per-halo substituted  $C_1$ - $C_5$  linear or branched alkyl;

each of  $R^1$ ,  $R^2$ ,  $R^3$ ,  $R^4$ ,  $R^5$ ,  $R^6$  and  $R^7$ , other than per-halo substituted  $C_1$ - $C_5$  linear or branched alkyl, is optionally substituted with 1-3 substituents which are independently  $C_1$ - $C_5$  linear or branched alkyl, up to perhalo substituted  $C_1$ - $C_5$  linear or branched alkyl,  $C_1$ - $C_3$  alkoxy, hydroxy, carboxy, amino,  $C_1$ - $C_3$  alkylamino,  $C_1$ - $C_6$  dialkylamino, halogen, cyano, or nitro;

$p$  is an integer selected from 0, 1, or 2; and


$q$  is an integer selected from 1, 2, 3, or 4,

or a pharmaceutically acceptable salt of formula I or an oxidized derivative of formula I wherein one or more urea nitrogens are substituted with a hydroxyl group, or an oxidized derivative of formula I wherein the nitrogen atom of

pyridine ring M is in the oxide form, or a methyl, ethyl, propyl, isopropyl, butyl, isobutyl, pentyl ester or phenyl C<sub>1</sub>-C<sub>5</sub> alkyl ester of formula I at a carboxylic acid group or amide group.

40) (New) A compound of claim 39 wherein A is selected from

- (1) benzimidazol-5-yl
- (2) benzimidazol-6-yl
- (8) 1,3-benzoxazol-6-yl
- (9) 2,3-dihydro-1H-indol-5-yl
- (10) 2,3-dihydro-1H-indol-6-yl
- (11) 2,3-dihydro-1H-inden-4-yl
- (12) 2,3-dihydro-1H-inden-5-yl
- (13) 1,1-dioxido-2,3-dihydro-1-benzothien-6-yl
- (14) 1H-indazol-5-yl
- (15) 2H-indazol-5-yl
- (16) 1H-indazol-6-yl
- (17) 1H-indol-5-yl
- (18) quinoxalin-2-yl
- (19) quinoxalin-6-yl, and
- (20) a group of the formula



41) (New) A compound of claim 39 wherein the optional substituents on bicyclic heterocycle A are independently R<sup>1</sup>, OR<sup>1</sup>, and halogen.

42) (New) A compound of claim 41 wherein L is —O—.



43) (New) A compound of claim 42 wherein Q is  $\text{C}(\text{O})\text{NR}^4\text{R}^5$  and each of  $\text{R}^4$  and  $\text{R}^5$  is independently hydrogen or  $\text{C}_1\text{-C}_5$  alkyl.